



VISTA®

Stroller System
Systema de Carriola
Système de Poussette



USA
UPPAbaby
60 Sharp Street, Hingham, MA 02043
781.413.3000
www.uppababy.com
Model 0112 | Version 3.0

Canada
5514KM
19 Industrial Street Toronto, Ontario M4G 1Z2
416.422.2700 | toll free: 1.888.502.5514
www.5514km.ca
Model 0130 | Version 3.0

VISTA and UPPAbaby are trademarks and/or registered trademarks of Monahan Products LLC. All other trademarks are the property of their respective owners.

VISTA et UPPAbaby sont des marques et/ou des marques déposées de Monahan Products LLC. Toutes les autres marques sont la propriété de leurs propriétaires respectifs.

VISTA y UPPAbaby son marcas comerciales y/o marcas registradas de Monahan Products LLC. Todas las demás marcas comerciales pertenecen a sus respectivos propietarios.





TABLE OF CONTENTS

ÍNDICE / TABLE DES MATIÈRES

ENGLISH

WARNINGS + SAFETY INFORMATION	Page 2
PARTS LIST	Page 4
STROLLER ASSEMBLY	Page 5
BASSINET ASSEMBLY	Page 6
BASSINET OPERATION	Page 8
STROLLER OPERATION	Page 10
LIMITED WARRANTY	Page 14

ESPAÑOL

ADVERTENCIAS E INFORMACIÓN SOBRE SEGURIDAD	Página 15
LISTADO DE LAS PIEZAS	Página 17
ENSAMBLAJE DEL CARRIOLA	Página 18
ENSAMBLAJE DEL CAPAZO	Página 20
FUNCIONAMIENTO DEL CAPAZO	Página 21
FUNCIONAMIENTO DEL CARRIOLA	Página 23
GARANTÍA LIMITADA	Página 27

FRANÇAIS

MISES EN GARDE ET INFORMATIONS SUR LA SÉCURITÉ	Page 28
LISTE DES PIÈCES	Page 30
ASSEMBLAGE DE LA POUSETTE	Page 31
ASSEMBLAGE DE LA NACELLE	Page 33
UTILISATION DE LA NACELLE	Page 34
POUR OPÉRER LA POUSETTE	Page 36
GARANTIE LIMITÉE	Page 40

*Please read these instructions carefully prior to assembly and use.
Leer atentamente estas instrucciones antes del ensamblaje y uso.
Veuillez lire attentivement ces instructions avant d'assembler et d'utiliser la poussette.*

WARNINGS + GENERAL SAFETY INFORMATION

WARNINGS

AVOID SERIOUS INJURY FROM FALLING OR SLIDING OUT—
ALWAYS USE THE SEAT HARNESS. **NEVER LEAVE CHILD UNATTENDED!**
KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.

BASSINET WARNINGS:

Failure to follow these warnings and instructions could result in serious injury or death:

- Audible “click” must be heard in order to determine that each lock is in the proper position. To ensure proper locking engagement, check to see that the bassinet/carry handle cannot be disengaged from the stroller without unlocking the device.
- Bassinet attaches **ONLY** in the rear-facing direction, so infant is facing the user.
- Bassinet must be removed to fold stroller.
- Maximum child weight 20 lbs (9 kg).
- Maximum child length 25" (63 cm).

BASSINET FALL HAZARD:

- To prevent falls, do not use this product when the infant begins to push up on hands and knees or has reached manufacturer’s recommended maximum weight, whichever comes first.
- The bassinet is suitable only for babies not yet able to sit up on their own.
- Child’s movement can slide carrier. **NEVER** place carrier near edges of counter tops, tables or other elevated surfaces.
- **NEVER** use the bassinet carrier as a means to transport an infant in a motor vehicle.
- Use of bassinet cover is recommended for added safety of your child. See page 7 for installation instructions.
- The bassinet should only be placed on a low, dry, firm horizontal surface when not in use with stroller or bassinet stand.
- Do not permit other children to play unsupervised next to the bassinet.

- Open flames and other sources of heat, such as electric heaters, gas ovens, etc. in the immediate vicinity of the bassinet are dangerous and should be avoided.
- This bassinet is only designed to be used with the VISTA stroller frame and the VISTA Bassinet Stand.
- Do not use the infant carrier if it is damaged or broken.

WARNING: STRANGULATION/ SUFFOCATION HAZARD:

- Strings can cause strangulation! Do not place items with strings around a child’s neck, such as hood strings or pacifier cords. Do not suspend strings over a bassinet or cradle or attach strings to toys.
- Infants can suffocate:*
- Infants can suffocate in gaps between an extra pad and side of bassinet, or on soft bedding.
 - **NEVER** add a mattress, pillow, comforter or padding. **ONLY** use the mattress pad provided by the manufacturer.
 - To reduce the risk of SIDS pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by physician.
 - If a sheet is used with a bassinet pad, use only the one provided by the bassinet manufacturer or one specifically designed to fit the dimension of the bassinet pad.
 - **NEVER** place carrier on beds, sofas or other soft surfaces. Infant carrier can roll over on soft surfaces and suffocate child.
 - Do not allow any part of the bassinet storage bag to cover a child’s nose or mouth.

WARNINGS + GENERAL SAFETY INFORMATION

STROLLER WARNINGS:

Please read this manual carefully before using this stroller. Failure to follow instructions properly may result in serious injury to your child.

- This stroller is suitable for children from birth (with optional Infant SnugSeat accessory) until child is 50 lbs (22.7 kg), and child height is 40" (101 cm).
- Unit may become unstable if the manufacturer’s recommended load is exceeded, or if a parcel bag, accessory or rack other than that recommended by the manufacturer is used or hung from the unit.
- Unstable hazardous conditions may exist if package carrying accessories are added onto the product.
- Maximum capacity for seat pocket 1 lb.
- Maximum weight for the storage basket is 5 lbs. Excessive weight may cause a hazardous unstable condition to exist.
- This stroller is intended to be used with one child only unless equipped with UPPAbaby accessories.

- Never leave your child unsupervised in the stroller.
- The brake must be locked while taking the child in or out of the stroller, and when parked.
- Bumper bar must be attached at all times.

WARNING: The canopy for the seat is not intended to retain the child.

- Canopy must be attached at all times.
- Children and adults should be clear of moving parts while making stroller adjustments. Damage to fingers or extremities may occur when opening or closing the stroller frame.
- Never leave child in the stroller while ascending or descending stairs, or using an escalator.
- Check to be sure the seat is securely locked to the stroller frame before each use.
- Do not make any alterations or modifications to the stroller with products not supplied by the manufacturer as this may cause instability or structural damage not covered under warranty.

CLEANING + GENERAL MAINTENANCE

FRAME AND FABRIC CARE:

- Clean frame with a damp cloth and a mild detergent and dry thoroughly. Do not use abrasives.
- If the stroller chassis parts have been exposed to salt water we recommend that they be rinsed with fresh (tap) water as soon as possible to avoid corrosion. Always dry frame if wet.
- All fabrics are removable except the outer bassinet base.
- Remove shoulder harness straps with microsuede harness pads before washing seat fabric.
- For removable fabrics, hand wash in cold water with mild detergent. Air dry completely and away from direct sunlight before re-use or storage.
- The bassinet base fabric may be sponged lightly using a damp cloth and a mild detergent. Allow it to dry completely before re-use or storage.
- To extend the life of your VISTA’s fabric, keep it clean and do not leave it in direct sunlight for long periods of time.
- Do not fold or store the VISTA if it is damp or wet, nor store in a damp environment.

MAINTENANCE AND REPAIR:

- This stroller requires regular user maintenance. Regularly check all connecting hardware (rivets, screws, etc.) for tightness and security.
- Inspect your VISTA periodically. Seek prompt repairs, replacing worn or broken parts as needed. Check all safety devices, locks and harnesses, for correct and secure operation. Never continue to use a product that is structurally unsound.
- Only UPPAbaby replacement parts should be used. It may be unsafe to use parts supplied by another manufacturer.
- Contact Customer Service with any repair questions.

UPPAbaby reserves the right to make design changes and improvements to any of our products as part of our commitment to innovation.

✦ PARTS LIST



TODDLER SEAT RAIN SHIELD



TODDLER SEAT BUG SHIELD



BASSINET BUG SHIELD



BASSINET STORAGE BAG

STROLLER ASSEMBLY

UNFOLD STROLLER



STEP 1: Pull latch back with your thumb to release locking mechanism.



STEP 2: Pull the handle upward until the frame locks open as shown.

INSTALL/REMOVE WHEELS



TO INSTALL THE BACK WHEELS:

While pressing in the hubcap of the wheel, slide the wheel into the axle until it locks into place.

TO REMOVE THE BACK WHEELS:

Push the hubcap in and pull the wheel out.



TO INSERT THE FRONT WHEELS:

Slide each front wheel into the housing until it locks.



TO REMOVE THE FRONT WHEELS:

Slide plastic lever in direction indicated on button and pull wheel out from frame.

STROLLER ASSEMBLY

ATTACH THE SEAT



STEP 1: Insert the posts on the sides of the seat into the slots of the frame. Push until you hear it “click” on both sides.

STEP 2: Pull up on seat to be sure it is properly attached to the frame.




STEP 3: To remove, (arrow 1) simultaneously push down both release buttons and (arrow 2) lift the seat from the frame.

NOTE: Seat can attach in either forward or rear-facing direction.

ATTACH/REMOVE THE BUMPER BAR



STEP 1: Insert metal posts into bumper bar attachment slots found on both sides of seat.



STEP 2: To remove, press button at bottom of plastic housing and lift bumper bar out.

WARNING: Bumper bar must be attached at all times!

CANOPY INSTALLATION



STEP 1: Pull canopy fabric over seat back.



STEP 2: Snap each side of canopy attachment to seat frame above plastic ring.

NOTE: Canopy height is adjustable.

BASSINET ASSEMBLY

SET-UP THE BASSINET



STEP 1: Remove mattress.



STEP 2: Fold back liner.




STEP 3: Pull both steel braces firmly into their respective sockets. Make sure that both braces are properly locked in place.



STEP 4: Replace bassinet liner and mattress.



STEP 5: Pull bassinet canopy upright and fasten canopy to Velcro strips at top of liner.



STEP 6: ATTACH BASSINET COVER

1: Place the closed end of the cover over the bottom of the bassinet, and pull the cover toward the top of the bassinet.

2: Fasten the ends of the bassinet cover to the outside of the canopy with the Velcro strips.

BASSINET OPERATION

ATTACH BASSINET TO STROLLER



STEP 1: Insert the posts on the sides of bassinet into the slots on the frame. Push until you hear it “click” on both sides.

STEP 2: Check carefully that the bassinet is properly attached to the frame by pulling up on the bassinet carry handle.

NOTE: Bassinet attaches only in the rear-facing direction so infant is facing the user.

TO REMOVE BASSINET



STEP 1: Lift rear lever firmly and completely (90°).

STEP 2: Lift bassinet off of frame using carrying handle.

NOTE: Bassinet must be removed from stroller to fold.

VENTILATED CANOPY



STEP 1: Unzip the bottom zipper on the canopy hood exterior.



STEP 2: Lift and line up seam half-way until magnets connect.

FOR ADDITIONAL VENTILATION



Undo Velcro flap found on bottom exterior of bassinet and adhere to lower Velcro strip.

BASSINET OPERATION

COLLAPSING BASSINET



STEP 1: Collapse bassinet canopy by simultaneously pressing buttons on both sides and pushing back.



STEP 2: Lift fabric liner and mattress out of the way. Disengage by pulling steel braces from their respective sockets.

PROPER USE OF ACCESSORIES



USING BASSINET STORAGE BAG: Slide collapsed bassinet into bag and fasten Velcro tab.



PROPER INSTALLATION OF BASSINET BUG SHIELD

REMOVING BASSINET FABRICS







STEP 1: Remove liner by pulling elastic up and over sides of bassinet. Release side Velcro strips.



STEP 2: Unzip canopy zippers located on the underside of canopy where fabric meets the carry handle. Detach Velcro from liner at bottom.



STEP 3: Unzip fabric sheet at top of bassinet pad and remove.

 <p>CLEANING</p>	 <p>Hand wash gently with mild detergent.</p>	 <p>Dry flat and away from direct sunlight before re-use or storage.</p>	 <p>DO NOT bleach, iron or dry clean.</p>
--	--	---	---

STROLLER OPERATION

SET SWIVEL/ LOCKING SYSTEM



TO LOCK WHEEL SWIVEL: Push button down to lock.

TO UNLOCK: Slide button up.

NOTE: Lock wheel swivel if traveling through rough terrain or sand.

SET THE BRAKE



TO LOCK THE BRAKE:

STEP 1: Brake is located on the right rear wheel. Push down on the pedal with foot to lock.

STEP 2: Attempt to push stroller back and forth to ensure brake is engaged.

TO RELEASE BRAKE: Push the pedal down again.

LOCK THE HARNESS



TO LOCK: Slide both belt ends together until it locks.

TO OPEN: Depress button at center and pull apart.

WARNING: Use the 5-point harness to restrain the child while in the stroller at all times. Adjust harness to fit child securely.


TILT THE SEAT



Pull the lever near the top of the seat and tilt seat to desired position. Release the lever to lock in one of five preset positions.

NOTE: Do not use upright position for infants less than six months old. Use the most reclined position and gradually re-position the seat more upright as the child is able to support its head without assistance. Always re-adjust harness after changing positions.

ADJUST SEAT HARNESS



STEP 1: Detach silver adjustment clip from upper or lower harness attachment loop. (Remove microsuede harness pad if necessary to facilitate harness adjustment.)



STEP 2: Reattach clip to the desired harness loop. Use loop location above child's shoulder line, or closest to child's shoulder.


ADJUST CANOPY



TO ADJUST CANOPY: Slide canopy attachment simultaneously up or down the seat frame (in between two plastic rings) for desired height.



USE SUNSHADE: Pull sunshade out for SPF 50 sun protection.




USE PEEK-A-BOO WINDOW: Roll flap and attach.

ADJUST HANDLE + LEG REST



TO ADJUST HANDLE: Push the button at the top and slide handle to one of three handle positions suited to user height and comfort.



TO ADJUST LEG REST: Push both buttons (left and right side of leg rest). Rotate leg rest to one of five preset positions.

PROPER INSTALLATION OF RAIN AND BUG SHIELD



STROLLER OPERATION

FOLD STROLLER




STEP 1: Activate the brake to prevent stroller from rolling forward while folding.



STEP 2: Place handle bar in lowest position.



STEP 3: Simultaneously, push and hold black plastic tab on left side of stroller in with your left thumb and squeeze the handle height adjustment button with your right hand.



STEP 4: Holding both buttons, push handle bar all the way in firmly until indication line meets top of plastic collar on right side of handle bar, then push down. You can now release both buttons.



STEP 5: Continue to collapse until locking mechanism engages on right side of stroller. Stroller will stand when folded.

NOTE: When folding frame with seat attached, seat must be in forward facing and upright position.
WARNING: Children and adults should be clear of moving parts while making stroller adjustments. Damage to fingers or extremities may occur when opening or closing the stroller frame.

STROLLER OPERATION

REMOVE FABRIC FROM SEAT



STEP 1: Unfasten Velcro from lower foot rest.



STEP 2: Disconnect straps on side of seat that are wrapped around seat frame.



STEP 3: Release strap on the underside of seat and slide fabric over and off of the top of seat frame. Reverse process when putting fabric back on seat frame.


REMOVE FABRIC FROM CANOPY



STEP 1: Unscrew hinge on one side of canopy.



STEP 2: Remove hinge from aluminum frame.



STEP 3: Remove plastic frame from hinge by sliding it upward.



STEP 4: Remove frame from canopy by sliding fabric off of both aluminum and plastic frames.



CLEANING



Hand wash gently with mild detergent.



Dry flat and away from direct sunlight before re-use or storage.



DO NOT bleach, iron or dry clean.

LIMITED WARRANTY

Your UPPAbaby stroller is warranted to be free from any manufacturing defects for a period of 2 years from the date of purchase under normal use and in compliance with the operating instructions.

This warranty cannot be extended and an extended warranty cannot be purchased.

This warranty is not transferable and extends only to the original retail purchaser and is only valid when supplied with proof of purchase. Please retain proof of purchase for this limited warranty.

The warranty is valid only in the original country of purchase. This warranty is subject to the conditions set forth by country in which the items were purchased. Conditions may vary. UPPAbaby will not ship replacement or repair parts out of the country of purchase.

UPPAbaby will provide replacement parts or conduct repairs as determined fitting by the company. UPPAbaby reserves the right to exchange item with a replacement part. Some parts may be replaced with newer model parts as the stroller is improved over time.

Please note that a repair issue will NOT be covered by this warranty if:

- The issue is caused by misuse or poor maintenance. Please refer to this instruction booklet for guidance on stroller use and maintenance.
- Damage is caused by improper installation of UPPAbaby parts and/or accessories. Please refer to this instruction booklet for guidance on stroller assembly and use.
- Damage is corrosion caused by lack of maintenance or service.
- Damage is due to general wear and tear, which is the result of everyday use or negligence.
- Damage is caused by sun intensity, sweat, detergents, damp storage or frequent washings.
- Repairs or modifications are carried out by a third party.
- Stroller is purchased from an unauthorized retailer. Approved retailers are listed on our website at www.uppababy.com.
- Stroller is second-hand.
- Stroller is damaged as a result of an accident, airline or freight damage.

UPPAbaby reserves the right to determine if warranty terms and conditions have been met.

Please contact your local distributor if you have any questions regarding warranty.

CUSTOMER SERVICE

COUNTRY	CONTACT	TELEPHONE	WEBSITE
US	60 Sharp Street Hingham, MA 02043	781.413.3000	www.uppababy.com
CANADA	5514KM 19 Industrial Street Toronto, Ontario M4G 1Z2	1.888.502.5514	www.5514km.ca

Register your stroller online at www.uppababy.com.